

FIRE RATED PLYWOOD WATER PROOF PLYWOOD FIRE PROOF PLYWOOD
FIRE RESISTANT PLYWOOD FIRE RESISTANT PLYWOOD WATER RESISTANT PLYWOOD
MARINE GRADE PLYWOOD FIRE RESISTANT PLYWOOD
WATER PROOF PLYWOOD MARINE GRADE PLYWOOD FIRE RATED PLYWOOD



GULF CIRCLE
TRADING COMPANY-KSA
Fire Resistant & Waterproof Plywood

Office 202, Business Tower, Al Marefa St.,
King Fahd Road, Riyadh, KSA.
CR# 7016307147
VAT# 313022000300003
Website: www.gulfcircle.net

Fireproof.
Waterproof.
Unstoppable.

Sales Inquiry: *Sayed Akram*

email: sakram@gulfcircle.net

Direct Contact / WhatsApp: +966 50 2854 087



CONTENTS

02

About Us

04

Technical Specifications

06

Certifications

09

Dimensions



About Us

Gulf Circle Trading Company was founded in 2023 as a leading importer and supplier of industrial products. Gulf Circle is the distribution agent of fire resistant, marine grade and waterproof plywood from AFYUN, India's #1 plywood manufacturer.



AFYUN Plywood

is an Indian manufacturer founded in 2001, known for producing a variety of plywood products, including marine plywood, decorative plywood, and fire-rated plywood, with a focus on quality, durability, and environmental sustainability. The company highlights features such as zero core gap precision, boiling waterproof endurance, resistance to borers, and a commitment to a healthy and safe working environment.



**Built to
Resist
Fire**

The image features two wooden planks. The top plank is being punched through by a hand made of fire, with flames and smoke rising from the impact. The bottom plank is being punched through by a hand made of water, with water splashing out from the impact. Both planks have various logos and text printed on them.

AFYUN
CLUB FIRE

MARINE GRADE

MADE IN INDIA

4 YEARS
PRESS TECHNOLOGY

BWP

AFYUN PLYWOOD

CE

AFYUN
FIRE DEFENSE TECHNOLOGY
CARB
CALIBRATED PLYWOOD

**and
Water!**

TECHNICAL SPECIFICATIONS



TECHNICAL SPECIFICATION OF PLYWOOD

SIZE: 2440*1220MM

CONSTRUCTION: 9+2 LAYER

THICKNESS: 18MM

SPECIES OF CORE VENEER: NEEM+EUCALY

TYPE: MARINE GRADE (IS 710:2024, WBP) & SPECIES OF FACE VENEER: OKUME

FIRE RETARDANT (IS 5509:2000)

AS PER IS:710 (MARINE GRADE, WBP)

SL	TEST NAME	PRESCRIBED VALUE	RESULT
1	DENSITY	0.520g/cm ³ -0.550 g/cm ³	0.527 g/cm ³
2	MOISTURE CONTENT	5-15%	9.6%
3	WATER RESISTANCE TEST	72 HOURS @ 100°C	PASS
4	STATIC BENDING STRENGTH MODULUS OF RUPTURE (N/mm ²) -ALONG THE GRAIN	MIN. INDIVIDUAL- 38 AVERAGE- 43	MIN.INDIVIDUAL- 53 AVERAGE- 57
	-ACROSS THE GRAIN	MIN. INDIVIDUAL- 31 AVERAGE- 35	MIN. INDIVIDUAL- 38 AVERAGE- 41
	MODULUS OF ELASTICITY (N/mm ²) -ALONG THE GRAIN	MIN. INDIVIDUAL- 5700 AVERAGE- 6400	MIN.INDIVIDUAL-6700 AVERAGE-7300
	-ACROSS THE GRAIN	MIN. INDIVIDUAL- 4100 AVERAGE- 4600	MIN.INDIVIDUAL-4600 AVERAGE-5200
5	TENSILE STRENGTH (N/mm ²) -ALONG THE GRAIN -ACROSS THE GRAIN -SUM OF BOTH	36 29 84.5	51 38 89
6	GLUE SHEAR STRENGTH(N/mm ²) DRY STATE	MIN. INDIVIDUAL- 1100 AVERAGE- 1350	MIN.INDIVIDUAL-1400 AVERAGE-1550
7	WORKMANSHIP & FINISH	SATISFACTORY	SATISFACTORY

AS PER IS:5509 (FR-GRADE)


SL	TEST NAME	PRESCRIBED VALUE	RESULT
1	FLAME PENETRATION	When tested as per IS:5509, flame penetration on opposite surface should not be less than 45min for 18mm	PASS
2	FLAMMIBILITY	When tested as per IS:5509, heat transfer from one surface to other causing continuous burning of another sample for 60sec, should not be less than 30min.	PASS
3	RATE OF BURNING	When tested as per IS:5509, weight loss from 30% to 70% of sample, should not be less than 20min.	PASS

A. Jeyaraj
AUTHORISED SIGNATORY
TECHNICAL HEAD



Syed Akram
Email- sakram@gulfcircle.net
+966 502854087


AFYUN®



**FIRE
RETARDANT
PLYWOOD**

Syed Akram
Email- sakram@gulfcircle.net
+966 502854087

AFYUN®



**FIRE
RETARDANT
PLYWOOD**



MADE IN INDIA

AFYUN®



Built to Weather Every Storm.



f @ afyunplywood

Sayed Akram
email: sakram@gulfcircle.net
+966 502854087



**BWP MARINE
GRADE**

**CALIBRATED
PLYWOOD**



MADE IN INDIA



QUALITY SYSTEM CERTIFICATE

Code of the certification body: 1-421-001-015
Number of the certificate: IN01 / A0970111Q

This is to certify that the Management System of

Afyun Plywood Industries

154A & 154B, Industrial Area, Baikampady, Surathkal, Hobli,
Mangalore - 575011, India.

is in compliance with the Standard

ISO 9001:2015

This Certificate is applicable to the following activities:

MANUFACTURE & SUPPLY OF ALL TYPES OF PLYWOOD.

Validation of this certificate: 06/06/2026



Gafur
ing. Jan Gasper
director

Certification is granted by: CVI, s.r.o., MPCL 3170/31, 058 01 Poprad, Slovakia - EU

System first certified	Current issue on	Expiry date
06/06/2025	06/06/2025	06/06/2028

subject to passing two surveillance audits during 6-12 months and 18-24 months of the certification.
For precise and up-to-date information on possible changes in the status of the certification referred to in this certificate,
please phone to the number: +421 949 037 277 or e-mail to the address: cvicvi@sk
or contact

Veritas CVI Certifications
5-34, Second Floor, Eldeco Station 1 Mall, Sector-12, Faridabad-121007 India
Phone: +91 9810088773 & 9315113727 website: www.cvi.in Email: veritascv@gmail.com, iso@cvi.in,
cvicvi.in

CONFORMANCE VERIFICATION INTERNATIONAL



CERTIFICATE

Certificate no. 16385



Afyun Plywood Industries

#10/100/1, Muthugoundanpudur Post, Suler Taluk,
Coimbatore-641 407, Tamil Nadu, India

QS ZÜRICH AG certifies that the management system of the above mentioned company and location(s)
has been evaluated and meets the requirements established by the following rules:

ISO 9001: 2015

ISO 14001: 2015

ISO 45001: 2018

The management system includes:

Manufacture & Supply of Plywood and Block Board

During the period of validity of this certificate, the management system of the company
must always comply with the requirements of the certified standards.

For updated amendments within the scope
of certification of the present certificate,
please refer to
<http://www.quality-service.ch>



Audit date: 20.01.2022
Date of issue: 01.03.2022
Expiration date: 28.02.2025
Subject to successful surveillance audit

QS ZÜRICH AG
P.O. Box 6335
CH-8050 Zurich
info@quality-service.ch



[Signature]
Management



Confederation of Indian Industry

Membership Certificate

This is to certify that

Afyun Plywood Industries

is an Annual Member of Indian Green Building Council (IGBC)

Bearing Membership No IGBCM220773

This certificate shall be valid up to December 2025

[Signature]
K S Venkataraj
Executive Director
IGBC

[Signature]
B Thiagarajan
Chairman
Indian Green Building Council

[Signature]
C Shankar Reddy
Vice Chairman
Indian Green Building Council

Indian Green Building Council

IGBC - Sustainable Building Green Building Council, Survey No. 44, Near Nandanam City, K. K. Road, Hyderabad - 500 004.
T: +91 40 4418 5132 / 33 F: +91 40 4418 5133 E: info@igbc.in www.igbc.in

MADE IN INDIA

AFYUN®

**NO BORERS. NO WORRIES.
CHOOSE AFYUN PLYWOOD
FOR LASTING PROTECTION.**

MADE IN INDIA

AFYUN®

CLUB PLUS+

100% Burma Gurjan

**Crafted Safe
for the Ones
You Love.**

AFYUN CLUB PLUS+

100% GURJAN

42 PRESS TECHNOLOGY

E ZERO EMISSION

CALIBRATED PLY WOOD

CE

ISO 9001

ISO 14001

ISO 45001

BWP MARINE GRADE

IS:710

afyunplywood

MADE IN INDIA

AFYUN®

AFYUN CELEBRITY

500+ HOURS BOILING WATER PROOF

15 PLY

E ZERO EMISSION

E0

ZERO CORE GAP

AFYUN CELEBRITY

MARINE CARB

BWP MARINE GRADE

AFYUN CELEBRITY

CE

ISO 9001

ISO 14001

ISO 45001

BWP MARINE GRADE

Sayed Akram
email: sakram@gulfcircle.net
+966 502854087

afyunplywood

MADE IN INDIA

AFYUN®

Guardian of Safety!

Safeguard Against Flames
and Sparks with Afyun
Fire-Retardant Plywood.

AFYUN FIREWOOD

IS:5509

CARB USA

E ZERO EMISSION

CE

ISO 9001

ISO 14001

ISO 45001

BWP MARINE GRADE

Sayed Akram
email: sakram@gulfcircle.net
+966 502854087

afyunplywood



DIMENSIONS

#	Description	Size	Dim. (feet)	Dim. (millimeter)
1	FIRE RETARDANT (FR-BWP) PLYWOOD	18 MM	4 F X 8 F	2440*1220MM
2	FIRE RETARDANT (FR-BWP) PLYWOOD	15 MM	4 F X 8 F	2440*1220MM
3	FIRE RETARDANT (FR-BWP) PLYWOOD	12 MM	4 F X 8 F	2440*1220MM
4	FIRE RETARDANT (FR-BWP) PLYWOOD	09 MM	4 F X 8 F	2440*1220MM
5	FIRE RETARDANT (FR-BWP) PLYWOOD	06 MM	4 F X 8 F	2440*1220MM
#	Description	Size	Dim. (feet)	Dim. (millimeter)
6	BWP MARINE CALIBRATED PLYWOOD	18 MM	4 F X 8 F	2440*1220MM
7	BWP MARINE CALIBRATED PLYWOOD	15 MM	4 F X 8 F	2440*1220MM
8	BWP MARINE CALIBRATED PLYWOOD	12 MM	4 F X 8 F	2440*1220MM
9	BWP MARINE CALIBRATED PLYWOOD	09 MM	4 F X 8 F	2440*1220MM
10	BWP MARINE CALIBRATED PLYWOOD	06 MM	4 F X 8 F	2440*1220MM

MADE IN INDIA

AFYUN®

Defend with CONFIDENCE!

Safeguard Against Flames with Afyun Fire-Retardant Plywood.

AFYUN FIREMAN
FIRE RETARDANT
BWP
CE
ISO 9001
ISO 4001
ISO 45001
LIFE TIME GUARANTEE
FIRE DEFENSE TECHNOLOGY
CALIBRATED PLYWOOD
CARB USA
E ZERO EMISSION

IS:5509

Sayed Akram
email: sakram@gulfcircle.net
+966 502854087

afyunplywood

MADE IN INDIA

AFYUN®

Tested by Fire, Trusted for Kitchens!

AFYUN CLUB FIRE
FIRE RETARDANT
BWP
CE
ISO 9001
ISO 4001
ISO 45001
LIFE TIME GUARANTEE
FIRE DEFENSE TECHNOLOGY
CALIBRATED PLYWOOD
CARB USA
E ZERO EMISSION

4 PRESS TECHNOLOGY
CARB USA
FIRE DEFENSE TECHNOLOGY

Sayed Akram
email: sakram@gulfcircle.net
+966 502854087

afyunplywood

MADE IN INDIA

AFYUN®

Unyielding Strength. Unshakable Support.

AFYUN CLUB FIRE
FIRE RETARDANT
BWP
CE
ISO 9001
ISO 4001
ISO 45001
LIFE TIME GUARANTEE
FIRE DEFENSE TECHNOLOGY
CALIBRATED PLYWOOD
CARB USA
E ZERO EMISSION

Sayed Akram
Email: sakram@gulfcircle.net
+966 502854087

MADE IN INDIA

AFYUN®

Fire-Resistant Flair

AFYUN FIREMAN
FIRE RETARDANT
BWP
CE
ISO 9001
ISO 4001
ISO 45001
LIFE TIME GUARANTEE
FIRE DEFENSE TECHNOLOGY
CALIBRATED PLYWOOD
CARB USA
E ZERO EMISSION

Sayed Akram
email: sakram@gulfcircle.net
+966 502854087

AFYUN[®]

PLYWOOD

Supplying All Over Saudi Arabia



+966 50 285 4087 

Sayed Akram

Country Manager

e-mail: sakram@gulfcircle.net

GULF CIRCLE TRADING COMPANY

Olaya, Riyadh, SAUDI ARABIA



ISO 9001
ISO 14001
ISO 45001



Thank you!

FOR THE FEEDBACK

Muhsina Thengilan



Exceptional quality! I am thoroughly impressed with the exceptional quality of their plywood. It's sturdy, durable, and surpassed my expectations.



SCAN ME